



.....SUPPLIES.....

Stabilizer
 Scissors
 Embroidery Machine
 Fabric
 Scotch Tape
 Optional hot glue gun
 Optional-sewing machine
 Optional-rattle insert
 Polyfil
 Needle and thread

Comes in sizes:
 4x4 makes
 6" tall lovey

5x7 makes
 9" tall lovey

6x10 makes
 12" tall lovey

8x12 hoop makes
 16" tall lovey





.....SUPPLIES.....

Stabilizer
 Scissors
 Embroidery Machine
 Fabric
 Scotch tape
 Optional hot glue gun
 Optional-sewing machine
 Optional-rattle insert
 Polyfil
 Needle and thread

Comes in sizes:
 4x4 makes
 6" tall lovey

5x7 makes
 9" tall lovey

6x10 makes
 12" tall lovey

8x12 hoop makes
 16" tall lovey





ITH UNICORN BABY LOVEY

.....SUPPLIES.....

Stabilizer
 Scissors
 Embroidery Machine
 Fabric
 Scotch Tape
 Optional hot glue gun
 Optional-sewing machine
 Optional-rattle insert
 Polyfil
 Needle and thread


Comes in sizes:
 4x4 makes
 6" tall lovey

5x7 makes
 9" tall lovey


6x10 makes
 12" tall lovey

8x12 hoop makes
 16" tall lovey






LOAD PART 1 OF THE LOVEY FILE. IT WILL BE THE SAME FOR THE UNICORN, THE FOX AND THE YETI. STITCH THE DIE LINES ON A NEW PIECE OF STABILIZER




COVER THE LARGER SECTION OF THE RECTANGLE WITH A PIECE OF FABRIC RIGHT SIDE UP SO IT OVERLAPS THE INNER LINE BY 1/2 INCH. I LIKE MINE TO BE 1/2" BIGGER ON THE OTHER EDGES TOO. TAPE IN PLACE




LAY A SMALL PIECE OF FABRIC RIGHT SIDE DOWN ON TOP OF THE LARGER ONE AND TAPE IN PLACE AS SHOWN




STITCH THE TACK DOWN STITCH WHICH CREATES A SEAM ALLOWANCE




CAREFULLY AND GENTLY GRAB THE STITCH LINE AND PEEL IT OFF OF THE STABILIZER TO RELEASE IT FROM THE HOOP.




TAPE THE RESULTING TEAR LINE OF THE STABILIZER WITH SCOTCH TAPE ON THE TOP AND REVERSE SIDE OF THE HOOP. IF YOU ARE NOT COMFORTABLE DOING THIS, JUST HOOP A NEW PIECE OF STABILIZER. BUT IT WILL BE FINE.




AFTER YOU REMOVE THE FABRIC PANEL, TRIM THE SEAM ALLOWANCE TO AN 1/8" - 1/4" STRAIGHT ACROSS.




IT SHOULD LOOK LIKE THIS WHEN UNFOLDED



NOW STITCH THE DIE LINE FOR THE ARMS AND THE HORIZONTAL LINE GOING ACROSS THE ARMS. THE UNICORN AND THE FOX LOOK LIKE THIS




HERE IS WHAT THE YETI VERSION OF THE ARMS DIE LINE LOOKS LIKE.




PLACE A LARGE PIECE OF FABRIC OVER THE BIGGER HALF OF THE RECTANGLE AND LET IT OVERLAP THE HORIZONTAL LINE 1/2". THE FABRIC IS RIGHT SIDE UP



ALSO LAY A SMALLER PIECE OF FABRIC DOWN IN LINE WITH THAT EDGE AND TAPE BOTH FABRIC PIECES IN PLACE




STITCH THE TACK DOWN FOR THE ARM SEAM.



UNFOLD THE FABRIC AND TAPE DOWN AND OUT OF THE WAY SO IT LOOKS LIKE THIS. YOU CAN ALSO USE HOT GLUE TO SECURE THE FABRIC OUT OF THE WAY.



THE FIRST FABRIC PANEL WE CREATED, WE WILL NOW LAY IT OVER THIS ONE AND LINE UP THE SEAMS ON EITHER SIDE



TAPE IT IN PLACE VERY WELL. ALSO TAPE THE SEAM DOWN IF YOU HAVE A SINGLE NEEDLE MACHINE SO THAT THE PRESSURE FOOT CAN GLIDE OVER IT EASIER



STITCH THE TACK DOWN FOR THE ARMS



HERE IS WHAT THE YETI ARMS WILL LOOK LIKE WHEN YOU STITCH THE TACK DOWN.



CUT THE ARMS OUT CLOSE TO THE TACK DOWN LINE BUT LEAVE A 1/2" TAB AT THE OPEN END




TURN THE ARMS RIGHT SIDE OUT. USE HEMOSTATS TO HELP. THIS IS WHAT THE FOX AND UNICORN ARMS LOOK LIKE.




HERE IS WHAT THE YETI ARMS WILL LOOK LIKE CUT OUT.




AND WHAT THEY WILL LOOK LIKE TURNED RIGHT SIDE OUT




PART 2 FOR THE FOX IS THE TAIL AND EARS. IF STITCHING THE FOX, LOAD PART 2 AND STITCH THE DIE LINES ON A NEW PIECE OF STABILIZER



COVER THE LARGER HALF OF THE BOX WITH FABRIC RIGHT SIDE UP AND LET IT OVERLAP THE ZIZAG LINE BY 1/2 INCH




ALSO LAY A PIECE OF SMALLER FABRIC RIGHT SIDE UP
KIND OF OVERLAPING THE BLUE ONE AS SHOWN




STITCH THE TACK DOWN FOR THE ZIGZAG




TRIM THE WHITE FABRIC CLOSE TO THE TACK DOWN
LINE ONLY




STITCH THE SATIN STITCH




GENTLY PEEL BACK THIS FABRIC PANEL ON THE ZIG
ZAG AS SHOWN




HERE IS THE BACK SIDE OF OUR TAIL PANEL




PLACE A SCRAP OF STABILIZER OVER THE MISSING ZIGZAG AND TAPE IN PLACE




STITCH THE REST OF THE DIE LINES




PLACE A PIECE OF FABRIC OVER THE LARGER HALF OF THE TAIL RIGHT SIDE UP AS SHOWN




STITCH A TACK DOWN TO SECURE IT




TRIM CLOSE TO THE TACK DOWN AT THE ZIG ZAG ONLY




COVER THE ZIGZAG WITH A SMALLER PIECE OF FABRIC RIGHT SIDE UP AND TAPE IN PLACE




STITCH THE TACK DOWN FOR THE ZIG ZAG AND THEN TRIM THE WHITE FABRIC CLOSE TO THE ZIG ZAG





TAPE OR HOT GLUE THE SMALL FABRIC IN PLACE AS SHOWN




STITCH THE SATIN STITCH FOR THE ZIG ZAG. THIS IS WHY WE TAPE OR GLUE THE FABRIC, SO IT WON'T MOVE




TAKE THE FIRST TAIL PANEL WE MADE AND PLACE IT RIGHT SIDE DOWN OVER THIS ONE. LINE UP THE ZIGZAGS AND TAPE IT IN PLACE



STITCH THE TACK DOWN FOR THE TAIL. A GAP WILL BE LEFT FOR TURNING IT



TRIM THE EXCESS TAIL FABRIC SO IT WON'T INTERFERE WITH THE EARS



COVER THE EARS WITH FABRIC RIGHT SIDES TOGETHER AS SHOWN



STITCH THE EARS TACK DOWN LINE



CUT OUT THE EARS AND TAIL BUT LEAVE A TAB WHERE THE OPENINGS ARE AS SHOWN



TURN THE EARS AND TAIL RIGHT SIDE OUT



PUSH THE TABS INTO THE TAIL AS SHOWN




TOP STITCH OR HANDSTITCH THIS OPENING SHU




THIS CONCLUDES PART 2 FOR THE FOX LOVEY



WE NEED TO STITCH THE BACK OF THE HEAD AND SOME SMALLER PARTS. FOR THE FOX AND UNICORN THIS IS PART 3. FOR THE YETI IT WILL BE PART 2. HERE I STITCH THE FOX PART 3 WHICH BEGINS WITH A FLOWER DIE LINE ON A NEW PIECE OF STABILIZER




COVER THE DIE LINE WITH A PIECE OF FELT, VINYL OR LEATHER AND TAPE IN PLACE RIGHT SIDE UP




STITCH THE TACK DOWN FOR THE FLOWER AND THE CENTER CIRCLE. THEN STITCH THE OVERALL RECTANGLE




FOR THE YETI (PART 2) YOU WILL STITCH THE HORNS DIE LINE




COVER THE HORNS WITH TWO PIECES OF FABRIC
RIGHT SIDES TOGETHER AND TAPE IN PLACE




STITCH THE TACK DOWN FOR THE HORNS




TRIM THE FABRIC AWAY FROM THIS EDGE AS SHOWN




STITCH THE NECK BOX




TAKE A PIECE OF FABRIC AND FOLD IT IN HALF RIGHT
SIDES TOGETHER. IT SHOULD BE 1/2 LONGER THAN
THE BOX BUT SHOULD BE AT LEAST AS TALL AS THE
BOX




TAPE IT INSIDE THE BOX WITH THE EXCESS OVERLAPING
THE LEFT SIDE




STITCH THE TACK DOWN FOR THE LEFT SIDE OF THE BOX




GENTLY PULL THE FABRIC UP BE GRABING THE STITCHES AND PEELING BACK TO REMOVE IT FROM THE HOOP




IT WILL BE STITCHED WHERE THE BLACK LINE IS




TURN IT RIGHT SIDE OUT LIKE THIS




ON THE BOTTOM HORIZONTAL LINE PLACE A LARGE PIECE OF FABRIC OVERLAPPING THE HORIZONTAL LINE INSIDE THE BOX AS SHOWN




TAPE THE FABRIC IN PLACE AS SHOWN




STITCH THE SHORT DIE LINE FOR THE NECK




ORIENT THE NECK YOU MADE SO THE SEAM IS IN THE CENTER AS SHOWN



TAPE IT IN PLACE OVER THE DIE LINE WITH THE CENTER FACING DOWN




STITCH THE TACK DOWN LINE



COVER THIS WITH A LARGE PIECE OF FABRIC THAT WOULD COVER THE OTHER HALF OF THE RECTANGLE. TAPE IT IN PLACE RIGHT SIDE DOWN



STITCH THE TACK DOWN LINE




GENTLY PULL UP THE BACK OF THE HEAD AS SHOWN




CUT OUT THE HORNS CLOSE TO THE TACK DOWN LINE AND TURN RIGHT SIDE OUT




THE UNICORN AND THE FOX WILL STITCH THE SAME WAY AS THE YETI MINUS THE HORNS PART. HERE IS THE FOX BACK OF THE HEAD AND THE FLOWER WE MADE EARLIER. THE UNICORN WILL BE PART 3 FOR THE BACK OF THE HEAD AND WILL ONLY HAVE THAT IN THE DESIGN



FOR THE BACK OF THE LOVEY, YOU WILL USE PART 2 FOR THE UNICORN, PART 4 FOR THE YETI AND PART 5 FOR THE FOX. FOR THE UNICORN LOAD PART 2 AND STITCH THE DIE LINE FOR THE BACK




ALSO STITCH THE HORN AND THE EARS




COVER THE HORN WITH TWO PIECES OF FABRIC RIGHT SIDE TOGETHER ON THE TOP OF THE HOOP OVER THE HORN DIE LINE. IF USING VINYL LIKE ME, I PLACED A PIECE OF FABRIC RIGHT SIDE UP ON THE TOP SIDE OF HOOP AND ANOTHER PIECE OF FABRIC RIGHT SIDE UP ON THE REVERSE SIDE OF THE HOOP


Copyright Handi Applique Inc. All Rights Reserved.



HERE I COVER THE HORN DIE LINE ON THE REVERSE SIDE OF THE HOOP AND TAPE IN PLACE



BACK ON THE TOP SIDE OF THE HOOP, COVER THE EARS WITH TWO PIECES OF FABRIC RIGHT SIDE TOGETHER AND TAPE IN PLACE




STITCH THE TACK DOWN FOR THE EARS AND THE HORN ALSO STITCH THE DIE LINE FOR THE PLACEMENT OF THE TAIL



COVER THE ENTIRE RECTANGLE WITH A PIECE OF FABRIC THAT IS BIGGER THAN THE RECTANGLE. FABRIC RIGHT SIDE UP.



TAKE A BUNDLE OF YARN FOR THE TAIL AND LOCATE THE TAIL DIE LINE BENEATH THE FABRIC ON THE STABILIZER TO SEE WHERE TO PLACE THE TAIL



TAPE THE YARN AS SHOWN. THEN COVER AGAIN WITH YET ANOTHER PIECE OF FABRIC THE SAME SIZE AS THE OTHER ONE RIGHT SIDE DOWN SO THAT THE YARN IS SANDWICHED BETWEEN



TAPE THE FABRIC SO IT SHOULD LOOK LIKE THIS WITH TWO LARGE PIECES OF FABRIC RIGHT SIDES TOGETHER OVER THE RECTANGLE WITH THE YARN BETWEEN THEM WHERE THE DIE LINE IS ON THE STABILIZER




STITCH THE TACK DOWN FOR THE BACK. A GAP WILL BE LEFT ON PURPOSE




TRIM THE SEAM AS SHOWN AND LEAVE A 1/2" TAB WHERE THE GAP IS




CUT OUT THE EARS AND THE HORN. TURN THEM RIGHT SIDE OUT. IF YOU USE VINYL OR LEATHER OR FELT FOR THE HORN THEN DONT TURN IT. IT SHOULD ALKREADY BE RIGHT SIDE OUT WITH TOP STITCH



FOR THE BACK OF THE YETI (PART 4) YOU WILL BEGIN BY STITCHING THE FEET DIE LINE ON A NEW PIECE OF STABILIZER




COVER THE FEET WITH 2 PIECES OF FABRIC RIGHT SIDE TOGETHER



STITCH THE TACK DOWN LINE FOR THE FEET



STITCH THE BACK DIE LINE OR THE RECTANGLE



COVER THE ENTIRE RECTANGLE WITH 2 PIECES OF FABRIC BIGGER THAN THE RECTANGLE RIGH SITES TOGETHER



STITCH THE BACK TACK DOWN. A GAP WILL BE LEFT IN THE STITCHING




TRIM THE SEAM ALLOWANCE, BUT LEAVE A 1/2" TAB AT THE GAP AS SHOWN



TURN THE FEET RIGHT SIDE OUT. THIS CONCLUDES PART 4 OR THE BACK FOR THE YETI



LOAD PART 5 FOR THE FOX LOVEY TO STITCH THE BACK. STITCH THE BACK DIE LINE OR RECTANGLE AND COVER THE RECTANGLE WITH TWO PIECES OF FABRIC RIGHT SIDE TOGETHER AND TAPE IN PLACE. STITCH THE SEAM ALLOWANCE



I USED A FOLDED PIECE OF FABRIC FOR MINE SO HERE I SEPARATE THE FABRIC AT THE SEAM




OPEN IT UP AND TAPE IT OPEN AND OUT OF THE WAY



STITCH THE HEART DIE LINE FOR THE PLACEMENT OF THE TAIL



LAY THE FOX TAIL ONTO THE HEART DIE LINE AS SHOWN. WE WILL USE AN EMBROIDERED HEART TO HOLD THE TAIL ON SO THERE ARE NO DOLL JOINTS



STITCH THE HEART DIE LINE TO COMPLETE PART 5 OF THE FOX .