



SCISSORS

STABILIZER-MEDIUM TEARAWAY

FLEECE, INTERLOCK KNIT, COTTON

MINKY, VELOUR, TERRY CLOTH

WATER SOLUBLE STABILIZER

POLYFIL

SCOTCH TAPE

NEEDLE AND THREAD

4X4 HOOP MAKES A 4" X 3" PILLOW


5X7 HOOP MAKES A 7" X 5" PILLOW

6X10 HOOP MAKES A 9" X 6" PILLOW

8X8 HOOP MAKES A 8" X 6.5" PILLOW

8X12 HOOP MAKES A 11" X 8" PILLOW





LOAD PART 1 OF THE BABY DEER PILLOW AND STITCH THE DIE LINES ON A PIECE OF STABILIZER



COVER THE HORN DIE LINE WITH 2 PIECES OF FABRIC RIGHT SIDES TOGETHER.



TAPE THE FABRIC IN PLACE



STITCH THE TACK DOWN LINES



COVER THE EAR DIE LINES WITH TWO PIECES OF FABRIC RIGHT SIDES TOGETHER



STITCH THE TACK DOWN LINE FOR THE EARS



CUT OUT THE HORN AND EARS AND TURN THEM RIGHT SIDES OUT.




LOAD PART 2 OF THE DEER PILLOW AND STITCH THE DIE LINE ON A PIECE OF STABILIZER



COVER THE DIE LINE WITH A PIECE OF FABRIC RIGHT SIDE UP. I AM USING SHANNON MINKY FABRIC IN LATTE COLOR.




STITCH THE TACK DOWN LINE



STITCH THE DIE LINE FOR THE FACE



COVER THE DIE LINE WITH THE FABRIC FOR THE FACE RIGHT SIDE UP AND TAPE IN PLACE.



STITCH THE TACK DOWN LINE FOR THE FACE




TRIM AROUND THE TACK DOWN LINE AS SHOWN



COVER THE FACE WITH WATER SOLUABLE STABILIZER TOPPER AND TAPE IN PLACE.



STITCH THE SATIN STITCH FOR THE FACE AND THE MARKINGS ON THE HEAD



STITCH THE NOSE, THE LASHES, THE EYES, THE HIGHLIGHTS FOR THE EYES.



REMOVE THE WATER SOLUABLE STABILIZER AND STITCH THE DIE LINE FOR THE HORNS AND EARS.



LIGHTLY STUFF THE HORNS WITH POLYFIL




HERE IS ONE HORN STUFFED



STUFF BOTH HORNS AND PLACE THEM RIGHT SIDE DOWN OVER THE DIE LINES FOR THE HORN. STITCH THE TACK DOWN LINE FOR THE HORNS



FOLD EACH EAR IN HALF



STITCH THE TACK DOWN FOR THE EARS



COVER THE PILLOW WITH ANOTHER PIECE OF FABRIC RIGHT SIDE DOWN



TAPE THE FABRIC SMOOTH AND FLAT



STITCH THE FINAL TACK DOWN LINE. NOTE THAT A GAP WILL BE LEFT IN THE STITCHING TO ALLOW YOU TO TURN IT RIGHT SIDE OUT



TRIM AROUND THE TACK DOWN LINE CLOSE BEING SURE TO LEAVE A 1/2" TAB OF EXTRA FABRIC WHERE THE GAP IS. HERE IT IS SHOWN BETWEEN THE EARS, BUT I HAVE MOVED IT TO THE SIDE IN THE FINAL DESIGN



TURN THE PILLOW RIGHT SIDE OUT



STUFF THE PILLOW WITH POLYFIL



ONCE IT IS STUFFED TO YOUR LIKING, USE A NEEDLE AND THREAD TO CLOSE THE GAP ON THE SIDE WITH A LADDER STITCH AND YOU ARE ALL DONE!